

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO ARCOPLAST. ALL COPYRIGHTS AND OTHER PROPRIETARY RIGHTS APPLICABLE SHALL REMAIN AT ALL TIMES ARCOPLAST'S PROPERTY. DOCUMENTS SHALL NOT BE USED, COPIED OR HARVESTED FROM THE CAD FILE, THE INFORMATION CONTAINED WITHIN WITHOUT THE WRITTEN CONSENT OF ARCOPLAST. DOCUMENTS, DESIGNS, DRAWINGS AND SPECIFICATIONS ARE CONCEPTUAL IN NATURE AND ARE INTENDED TO SET FORTH DESIGN INTENT ONLY AND ARE NOT TO BE USED FOR ENGINEERING PURPOSES.

EXISTING STRUCTURE. ATTACH ARCOPLAST SYSTEM
TO EXISTING STRUCTURE AS REQUIRED.
(CONSULT ARCOPLAST & STRUCTURAL
FRAMING REQUIREMENTS PER
ARCHITECT/ENGINEER)

1/2" WIDE 3M TWO SIDED TAPE (VHB-4956) W/
CONTINUOUS BEAD OF ARCOPLAST STRUCTURAL
ADHESIVE (A-2020), SIDE BY SIDE
FILL CORNER W/ STRUCTURAL ADHESIVE

FLUSH TAPCON PER CONDITION REQUIREMENTS
LOCATED @ 12" (304.8 mm) O.C. (TYP.)
COUNTERSINK FURRING STRIP

16 GAUGE GALVANIZED METAL FURRING STRIPS
3" (76.2 mm) x CONTINUOUS LENGTH
LOCATED AT EACH SIDE OF CORNER

ADVANCED POLYMER FULL
TROWELED ADHESIVE PUTTY

ADVANCED POLYMER FULL
TROWELED ADHESIVE PUTTY

ARCOPLAST 3/16" (5 mm) GFRMC
WALL PANEL

ARCOPLAST BIO-SEAL (A-1010)
WHITE FINISHING COMPOUND

ARCOPLAST 3/16" (5 mm) GFRMC
WALL PANEL


GFRMC WALL PANEL (5.0 mm), WALL TO WALL, EXISTING CONDITIONS

DWG #
PP-72-MC

SCALE
6" (1:2)

DATE
2/20/2020

CHECKED
GB



1873 WILLIAMSTOWN DRIVE
ST. PETERS, MISSOURI USA 63376
T: 888-736-2726 F: 636-978-7782

WWW.ARCOPLAST.COM